

BEARARCHERYPRODUCTS.COM


Bear® Archery Corporate Headquarters 817 Maxwell Ave. Evansville, IN 47711 800-694-9494 (Customer Service)

Bear® Archery Mfg. and Warranty Service 4600 S.W. 41st Blvd. Gainesville, FL 32608











Porever Rear



80 years ago, a man named Bear had a vision; To build the world's best hunting bows for true hunters. To this day, that legacy still stands as our primary focus. At Bear Archery

it's always been about you, and what you do different than every other bowhunter. You take the path less traveled.

You don't buy into the hype other manufacturers are selling. And you're different because you're one of us.

You don't do this for fame or fortune; you do it because

it's who you are. There's no denying it, and no changing it.

You need it. Bad. You've been called different or unconventional, but really you're just devoted to a craft you love as much as life itself. So take the path less traveled. Be a loner. A pioneer. A renegade. Stand up, stand out or stand alone and listen: RISE UP!

Kise Tp.

TABLE OF CONTENTS

BEAR TECHNOLOGY	4-5	ANARCHY	12-13	LEGION	18-19	SIREN	24-25	SPECS & ITEM NUMBERS	30-31
MOTIVE6	6-7	METHOD	14-15	ENCOUNTER	20-21	HOME WRECKER	26-27	YOUTH BOWS	34-37
MOTIVE7	8-9	DOMAIN	16-17	OUTBREAK	22-23	APPRENTICE	28-29	TRADITIONAL BOWS	38-47
MPIRE 1	0-11							BEAR GEAR	48-51



THE ALL NEW H13 CAMS

Our all-new Bear Synchronized Hybrid Cam System is the true brawn behind the Motive and Method bows. The new H13 Cams are designed with a rotating module, allowing you to make draw length adjustments without the use of a bow press or any additional modules. The brain behind these cams is the design which gives you the same efficiency and improved nock travel no matter the draw length. Think scorching fast bows, amazingly smooth at the draw.

The H13 Cams are adjustable from 25-1/2 – 31" in ½" increments.



THE ALL NEW S13 CAMS

The fastest, smoothest and most versatile cam on the market, our all-new \$13 incorporates every critical aspect; speed, smooth draw cycle, maximum efficiency, ease-of-adjustment, and constant refinement each year. The Empire's all-new \$13 cam has all that and more. Regardless of draw length, these cams make no sacrifices when it comes to draw cycle and efficiency. Adjustments in draw length can be made without the use of a bow press or any additional modules.

The \$13 cams range in draw lengths from \$24" - 31" in ½" increments.



MAX PRE-LOAD QUAD LIMBS
Smooth during the draw and a
silent, smooth, vibration-free
source of undeniable Bear
power at release.

BEAR TECHNOLOGY

ADVANCED GRIP DESIGN

A dramatic leap forward in grip design, we developed Bear's grip to eliminate hand torque and deliver unmatched accuracy

—regardless of your desired grip setup.

Whether it's the over-molded grip
or the side-panel grip, Bear bows are
designed to shoot flawlessly. This
advanced grip design is featured on the
Motive 6, Motive 7,Empire and Anarchy bows.





4X4 ROLLER GUARD

8 sealed ball bearings deliver the smoothest draw cycle and the maximum amount of efficiency.



ZERO TOLERANCE LIMB CUP

Whether you're utilizing every bit of poundage those limbs of yours can dish out or just prefer a lower draw weight, you demand a consistent and tight limb-to-cup-to-riser fit. Our Zero Tolerance Limb Cup delivers just that. Equally important, the vibration-eliminating limb boot is just one more way hand shock is reduced at release.





OFFSET STRING SUPPRESSORS

Our Offset String Suppressors absolutely kill any excess noise and vibration at the shot.

They're now adjustable, giving you even more advantage over the game.



MOTIVE 6

MOTION FOR MEDIOCRATY...DENIED

A motive can be defined as a goal or object of a person's actions. The same can be said when we set our minds to bow design, this year's result is a lightweight, quiet bow with scorching speeds. Powered by our new Bear Synchronized Hybrid Cam System, the Motive 6's H13 Cams are both the brains and the brawn behind this bow, achieving blazing speeds while maintaining a smooth, comfortable draw cycle.



Max Pre-Load **Quad Limbs**

4X4 Roller Guard

Bear Contra-Band HP Strings and Cables



4.0 LBS

7" Brace Height

32" Axle-to-axle

PEAK DRAW WEIGHT

26.5IN TO 31IN DRAW LENGTH RANGE

MOTIVE 7

EVERY EXPECTATION: EXCEEDED.

Driven by Bear's new Synchronized Hybrid Cam System, the Motive 7 is a blend of characteristics that create the perfect bow; light weight, quiet, forgiving, shock- and vibration-free, and extremely fast. Our new H13 Cams work alongside our Max Pre-Load Quad Limbs, on a comfortable 32" axle to axle length. Accompanied by a forgiving 7" brace height, this bow is pure perfection to any and all bowhunters.



Max Pre-Load Quad Limbs

4X4 Roller Guard

Bear Contra-Band HP Strings and Cables



2 330 4 FDC 4.0 LBS 7" Brace Height 32" Axle-to-axle 50LBS/60LBS/70LBS PEAK DRAW WEIGHT 24IN TO 31IN Draw Length Range

EMPIRE

UNDENIABLY A BEAR

We don't think about bows as being "just any bow." To us they're highly efficient, precise tools of the trade—exactly why each bow in our lineup must be light, fast, smooth, shock-free and absolutely silent. The all new Empire is every bit of those characteristics and more. The Empire's amazing speeds are fueled by a combination of the new S13 Cams and our Max Pre Load Quad limbs. And, with a 32" axle to axle length and a 7" brace height, make this bow the perfect mix of speed, forgiveness and balance.



Max Pre-Load **Quad Limbs**

4X4 Roller Guard

Lightweight Skeleton Idler Wheel with **Dual Stainless Steel Sealed Bearings**

Bear Contra-Band HP Strings and Cables

BEARARCHERYPRODUCTS.COM Kise Tp : 11



£ 330

4.0 LBS


7.25" Brace Height 35.25" AXLE-TO-AXLE 50LBS/60LBS/70LBS PEAK DRAW WEIGHT 25IN TO 31.5IN Draw Length Range

ANARCHY

RISE UP. YOU ARE IN CONTROL

A more-forgiving, longer axle-to-axle bow makes the Anarchy about as versatile as a bow can truly be. Lightweight, smooth, fast and with a feel unlike any other from draw through release. Powered by our Flat Top Cam, housed on a longer riser, it creates a hunting bow that shoots more like a target bow. Simply put, the Anarchy is yet another crowning achievement from the company that practically invented bowhunting.





Dual Arc Offset String Suppressors

4X4 Roller Guard

Bear Contra-Band HP Strings and Cables

Lightweight Skeleton Idler Wheel with **Dual Stainless Steel Sealed Bearings**



METHOD

STAND ALONE. THEN STAND OUT.

A high-performance speed bow doesn't have to cost you the next three months mortgage payment; Not at the register and definitely not on the draw cycle. Exactly what you've come to expect from Bear Archery, the new Method bow's 33" axle-to-axle boasts a forgiving 6.75" brace height and a quiet, shock-free shot—all while giving you amazing speeds and at an unbelievable price.





Bear Contra-Band HP Strings and Cables

Kise Up : 15



₽ 322 4 EDC 4.0 LBS 7" Brace Height 33" Axle-to-axle 50LBS/60LBS/70LBS PEAK DRAW WEIGHT 26IN TO 31IN Draw Length Range

DOMAIN

GOOD ENOUGH IS JUST NOT GOOD ENOUGH FOR US.

The all-new Bear Domain is the definition of what a hunting bow should be;

Ultra-smooth. Quiet. Shock-free. Super fast. What's more, the Domain's forgiving 33" axle-to-axle length gives you the balance and feel of a target bow, yet the E3 Cams launch arrows at a blazing fast 322 fps. It's the perfect combination of technology and innovation, at a value that leaves money in your pocket.



DEALTDEE

Max Pre-Load Quad Limbs

Idler Wheel with Dual Stainless Steel Sealed Bearings

Bear Contra-Band HP Strings and Cables

BEARARCHERYPRODUCTS.COM

Rise Up 17



<mark>2318</mark>


4.0 LBS 7" Brace Height 30.5" AXLE-TO-AXLE 50LBS/60LBS/70LBS PEAK DRAW WEIGHT 26IN TO 31IN DRAW LENGTH RANGE

LEGION

UBELEIVABLE VALUE. EVEN BETTER PERFORMANCE.

The Legion stands as one of our most popular bows, and for good reason. It has everything you want from a shorter axle-to-axle bow. Think of this bow as a tool, a very precise tool that can be used to fill any tag you have in your pocket. What makes it different? The cam is designed to deliver a smooth draw and higher speeds. The grip is designed to reduce hand torque. Bottom line: It's affordable, smooth and fast. What more can you ask for in a bow?





្ទ 310 ទ FPS 3.7 LBS

7.75" Brace Height 30.5" AXLE-TO-AXLE 50LBS/60LBS/70LBS PEAK DRAW WEIGHT 27IN TO 32IN DRAW LENGTH RANGE

ENCOUNTER

MORE BOW FOR YOUR BUCKS.

We never cut corners. Ever, and the proof's in amazing, new technology that finds its way into our entire bow lineup. The Encounter is no exception. This lightweight bow is heavy on features, and even heavier on value. From the smooth-drawing, mega-fast E2-Cam — spinning on dual-sealed ball bearings — to the refined, thinner grip that reduces hand torque and increases accuracy, the Encounter is designed to take fewer bucks from your wallet so you can take more bucks in the field.

REALTREE"

Bear Flared Quad Limbs

Idler Wheel with Dual Stainless Steel Sealed Bearings



DUTBREAK

55 LBS. OF WEIGHT ADJUSTMENT AND OUR MOST VERSATILE BOW.

It's impossible to classify the Outbreak. Is it a 70 lb. compact, short axle-to-axle bow, perfect for ground-blind hunting? Yes. Is it a smooth-drawing, 40 lb. bow that's perfect for younger hunters? Yes again. Is it a 25-inch draw length killer that's perfect for her? Another yes. Fact is, the Outbreak is the most versatile bow we've ever designed. And as a bonus: its Dual Cam System can be adjusted without the use of modules or a bow press. Regardless of where this bow falls within its 55 lbs. of weight adjustment, it's a Bear bow and quality from top to bottom.



Max Pre-Load Quad Limbs





SIREN

DESIGNING A BOW FOR TOP-TIER FEMALE ARCHERS DOESN'T MEAN "JUST MAKE IT PINK."

We refuse to take one of our bows, lower the poundage, slap a "pretty" decal on it and sell it to the ladies. We take designing bows for our female hunting fanatics far more seriously. That's why the Siren is recognized as the OFFICIAL BOW OF REALTREE GIRL. The Siren was field-tested by women, for women, then further refined based on feedback we received from top female archers. Delivering everything our female fans asked for, the Siren's cam, grip, draw cycle and release were all engineered to work flawlessly in the hands of top-tier female archers.



Dual Arc Offset String Suppressors Max Pre-Load Quad Limbs

Idler Wheel with Dual Stainless Steel Sealed Bearings









HOME WRECKER

WHO WEARS THE CAMO PANTS IN THE FAMILY?

The Home Wrecker has set the gold standard in female bow design, so don't let the lightweight and short stance fool you - this bow packs a hammering punch yet gives you a smooth draw and a shock-free, silent release. It's all the performance you need to head out into the field, where you'll promptly begin to show him who wears the real camo pants in the family.



Bear Flared Quad Limbs









APPRENTICE 2

45 LBS. OF WEIGHT ADJUSTMENT. 45 REASONS THEY'LL BECOME YOUR BEST HUNTING PARTNER.

Our commitment to young hunters is something that Bear Archery takes a great deal of pride in, The Apprentice 2 proves provides the next generation of archers with the first bow they'll need to nail their first shot. The Apprentice 2 lends more versatility with a draw length that ranges from 15" to 27" and a draw weight ranging from 15 to 60 lbs. With those kind of options, the Apprentice 2 stands to be your young hunter's go-to first bow—and one they won't outgrow after just a season or two.



BOW	SPEED (FPS IBO)	WEIGHT (LBS)	BRACE HEIGHT	AXLE TO AXLE	PEAK DRAW Weight (LBS)	
MOTIVE 6"	up to 350	4	6"	32"	50/60/70	
MOTIVE 7"	up to 340	4	7"	32"	50/60/70	
EMPIRE	up to 330	4	7"	32"	50/60/70	
ANARCHY	up to 330	4	7.25"	35.25"	50/60/70	
METHOD	up to 340	4	6.75"	33"	50/60/70	
DOMAIN	up to 322	4	7"	33"	50/60/70	
LEGION	up to 318	4	7"	30.5"	50/60/70	
ENCOUNTER	up to 310	3.7	7.75"	30.5"	50/60/70	
OUTBREAK	up to 308	3.5	7.25"	29.25"	15-70	
SIREN	up to 300*	3.8	6.75"	31"	40/50/60	
HOME WRECKER	up to 280**	3.2	7.25"	28 5/8"	40/50	
APPRENTICE 2	up to 265	2.9	6.125"	27.5"	15-50, 20-60	

^{*}Speed rating attained at 27in., 60lbs. with a 300 grain arrow

MOTIVE 6" REALTREE®	MOTIVE 6" RED/BLACK	MOTIVE 7" REALTREE	MOTIVE 7" Ap snow/black	EMPIRE REALTREE BOW	EMPIRE RED/BLACK	ANARCHY REALTREE AP HD BOW
A3MT26007R - RH 70	A3MT26307R - RH 70	A3MT27007R - RH 70	A3MT27207R - RH 70	A3EP10007R - RH 70	A3EP10307R - RH 70	A21029007R - RH 29/70
A3MT26006R - RH 60	A3MT26306R - RH 60	A3MT27006R - RH 60	A3MT27206R - RH 60	A3EP10006R - RH 60	A3EP10306R - RH 60	A21028006R - RH 28/60
3MT26005R - RH 50	A3MT26305R - RH 50	A3MT27005R - RH 50	A3MT27205R - RH 50	A3EP10005R - RH 50	A3EP10305R - RH 50	A21026005R - RH 26/50
A3MT26007L - LH 70	A3MT26307L - LH 70	A3MT27007L - LH 70	A3MT27207L - LH 70	A3EP10007L - LH 70	A3EP10307L - LH 70	A21029007L - LH 29/70
3MT26006L - LH 60	A3MT26306L - LH 60	A3MT27006L - LH 60	A3MT27206L - LH 60	A3EP10006L - LH 60	A3EP10306L - LH 60	A21028006L - LH 28/60
3MT26005L - LH 50	A3MT26305L - LH 50	A3MT27005L - LH 50	A3MT27205L - LH 50	A3EP10005L - LH 50	A3EP10305L - LH 50	A21026005L - LH 26/50
MOTIVE 6"	MOTIVE 6"	MOTIVE 7"	MOTIVE 7"	EMPIRE	EMPIRE	ANARCHY
SHADOW SERIES	GREEN/BLACK	SHADOW SERIES	RED/BLACK	SHADOW SERIES	GREEN/BLACK	SHADOW SERIES
3MT26107R - RH 70	A3MT26407R - RH 70	A3MT27107R - RH 70	A3MT27307R - RH 70	A3EP10107R - RH 70	A3EP10407R - RH 70	A21129007R - RH 29/70
3MT26106R - RH 60	A3MT26406R - RH 60	A3MT27106R - RH 60	A3MT27306R - RH 60	A3EP10106R - RH 60	A3EP10406R - RH 60	A21128006R - RH 28/60
3MT26105R - RH 50	A3MT26405R - RH 50	A3MT27105R - RH 50	A3MT27305R - RH 50	A3EP10105R - RH 50	A3EP10405R - RH 50	A21126005R - RH 26/50
3MT26107L - LH 70	A3MT26407L - LH 70	A3MT27107L - LH 70	A3MT27307L - LH 70	A3EP10107L - LH 70	A3EP10407L - LH 70	A21129007L - LH 29/70
3MT26106L - LH 60	A3MT26406L - LH 60	A3MT27106L - LH 60	A3MT27306L - LH 60	A3EP10106L - LH 60	A3EP10406L - LH 60	A21128006L - LH 28/60
3MT26105L - LH 50	A3MT26405L - LH 50	A3MT27105L - LH 50	A3MT27305L - LH 50	A3EP10105L - LH 50	A3EP10405L - LH 50	A21126005L - LH 26/50
MOTIVE 6"			MOTIVE 7"	EMPIRE		ANARCHY
AP SNOW/BLACK	10 1676 (1971)		GREEN/BLACK	AP SNOW/BLACK		RED/BLACK
3MT26207R - RH 70	70000		A3MT27407R - RH 70	A3EP10207R - RH 70		A21329007R - RH 29/70
3MT26206R - RH 60	- Color		A3MT27406R - RH 60	A3EP10206R - RH 60		A21328006R - RH 28/60
3MT26205R - RH 50	1 31 11 11 11 15		A3MT27405R - RH 50	A3EP10205R - RH 50		A21326005R- RH 26/50
3MT26207L - LH 70	300 11 , 1000		A3MT27407L - LH 70	A3EP10207L - LH 70		A21329007L - LH 29/70
3MT26206L - LH 60			A3MT27406L - LH 60	A3EP10206L - LH 60		A21328006L - LH 28/60
3MT26205L - LH 50			A3MT27405L - LH 50	A3EP10205L - LH 50		A21326005L - LH 26/50
	La Martine 1					ANARCHY
						GREEN/BLACK
				Secretary of the second		A21429007R - RH 29/70
			Tellian Salah	E TO THE STATE OF		A21428006R - RH 28/60
						A21426005R - RH 26/50
						A21429007L - LH 29/70
						A21428006L - LH 28/60
						A21426005L - LH 26/50

^{**}Speed rating attained at 28in., 50lbs. with a 250 grain arrow

BOW CHART

				••
DRAW LENGTH RANGE	LET OFF	AVAILABLE FINISH OPTIONS	STRINGS/CABLES	CABLE SLIDE
25.5 in - 30 in	75%	REALTREE, REALTREE AP SNOW/BLACK, Shadow Series, Red/Black, Green/Black	Pre-Stretched Contra-Band HP 452X - Cables Pre-Stretched 452X	4X4 Roller
26.5 in - 31 in	75%	REALTREE, REALTREE AP SNOW/BLACK, SHADOW SERIES, RED/BLACK, GREEN/BLACK	Pre-Stretched Contra-Band HP 452X - Cables Pre-Stretched 452X	4X4 Roller
24 in - 31 in	80%	REALTREE, REALTREE AP SNOW/BLACK, SHADOW SERIES, RED/BLACK, GREEN/BLACK	Pre-Stretched Contra-Band HP 8190 - Cable 452X	4X4 Roller
25 in - 31.5 in	80%	REALTREE, SHADOW SERIES, RED/BLACK, GREEN/BLACK	Pre-Stretched Contra-Band HP 8125 - Cable 452X	4X4 Roller
26.5 in - 31 in	75%	REALTREE, SHADOW SERIES	Pre-Stretched Contra-Band HP 452X - Cables Pre-Stretched 452X	Slide
26 in - 31 in	80%	REALTREE	Contra-Band 8125 (BCY) - Cable 452X	Slide
26 in - 31 in	80%	REALTREE	Contra-Band D-97 -Cable 452X	Slide
27 in - 32 in	80%	REALTREE	Contra-Band D-97 -Cable 452X	Slide
16 in - 30 in	80%	REALTREE	Contra-Band D-97 -Cable 452X	Slide
22 in - 27 in	75%	REALTREE MAX-1, SHADOW SERIES	Contra-Band 8125 (BCY) - Cable 452X	Slide
22 in - 28 in	80%	REALTREE MAX-1	Contra-Band D-97 -Cable 452X	Slide
15 in - 27 in	70%	REALTREE	Contra-Band D-97 Strings and Cables	Slide

ITEM NUMBERS

METHOD	
REALTREE	
A3MD20007R - RH 70	
A3MD20006R - RH 60	
A3MD20005R - RH 50	
A3MD20007L - LH 70	16
A3MD20006L - LH 60	
A3MD20005L - LH 50	
METHOD	
SHADOW SERIES	
	8
A3MD20107R - RH 70	
A3MD20106R - RH 60	
A3MD20105R - RH 50	
A3MD20107L - LH 70	
A3MD20106L - LH 60	
A3MD20105L - LH 50	н
METHOD	ı
REALTREE (RTH)	4
A3MD21007R - RH 70	
A3MD21006R - RH 60	
A3MD21005R - RH 50	
A3MD21007L - LH 70	

A3MD21006L - LH 60 A3MD21005L - LH 50

A3DM10005L - LH 50	A24
DOMAIN	
REALTREE (RTH)	
A3DM11007R - RH 70	A24
A3DM11006R - RH 60	A24
A3DM11005R - RH 50	A24
A3DM11007L - LH 70	A24
A3DM11006L - LH 60	A24
A3DM11005L - LH 50	A24
	1

DOMAIN

REALTREE

A3DM10007R - RH 70

A3DM10006R - RH 60

A3DM10005R - RH 50

A3DM10007L - LH 70

A3DM10006L - LH 60

A24026316R - RH 60 A24026315R - RH 50 A24026317L - LH 70 A24026316L - LH 60 A24026315L - LH 50 LEGION REALTREE (RTH) A24526317R - RH 70 A24526316R - RH 60 A24526317L - LH 70 A24526317L - LH 70 A24526316L - LH 60

4526315L - LH 50

LEGION

REALTREE

A24026317R - RH 70

A25027326L - LH 60
A25027325L - LH 50
ENCOUNTER
REALTREE (RTH)
A25527327R - RH 70
A25527326R - RH 60
A25527325R - RH 50
A25527327L - LH 70
A25527326L - LH 60
A25527325L - LH 50

ENCOUNTER

REALTREE

A25027327R - RH 70

A25027326R - RH 60

A25027325R - RH 50

A25027327L - LH 70

SIREN
REALTREE MAX 1
A23022276R - RH 60
A23022275R - RH 50
A23022274R - RH 40
A23022276L - LH 60
A23022275L - LH 50
A23022274L - LH 40
SIREN
REALTREE MAX 1 (RTH)

OUTBREAK

REALTREE

A26016307R - RH

A26016307L - LH

OUTBREAK

REALTREE (RTH)

A26516307R - RH A26516307L - LH

SIREN
REALTREE MAX 1 (RTH)
A23522276R - RH 60
A23522275R - RH 50
A23522274R - RH 40
A23522276L - LH 60
A23522275L - LH 50
A23522274L - LH 40
SIREN
SHADOW SERIES

SHADOW SERIES
A23122276R - RH 60
A23122275R - RH 50
A23122274R - RH 40
A23122276L - LH 60
A23122275L - LH 50
A23122274L - LH 40



HOME WRECKER
ADVANTAGE MAX 1 (RTH
A16522285R - RH 50
A16522284R - RH 40
A16522285L - LH 50
A16522284L - LH 40

APPRENTICE 2
REALTREE (RTH 60#)
A28515276R - RH
A28515276L - LH

APPRENTICE 2
REALTREE (RTH 50#)
A28515275R - RH
A28515275L - LH

APPREN	TICE
PINK CAMO	(RTH 50#)
A0861527	5R - RH
A0861527	5L - LH



DUR FRIENDS



DAN PEREZ

"Bear Archery is not a company that we simply associate with. They're our partners in the field. They're a group of people that are just as passionate about hunting as we are. Bottom line: we count on them day in and day out. And you can too."



G.O. AND HALEY HEATH

"It's easy for a company to be considered just that...a company. But with Bear Archery, it's not a company we're part of – it's a family. And we're proud to consider them part of ours."



DAVID BLANTON

"Every year Bear finds a way to outdo themselves and this year's bows are no exception. The 2013 Bear bow line up is top of the line when it comes to high-end, high-performance bows."



TONY WALKER

"From their flagship bow down through their entire bow line, Bear makes sure each bow is the best it can be. I respect that. And that's something I'm proud to be a part of."



BRIAN "PIG MAN" QUACA

"Bowhunting is my living. It takes more than just a good bow, it's the people behind the product – with Bear you get both. This is a must when your living may turn into saving your life! I trust Bear – the leader in archery by which all others are judged!"



MAJOR LEAGUE BOWHUNTER

'Producing a bow hunting only show means that we've got to have top tier equipment that we believe in, and Bear bows are just that; high-end, high-performance bows. We are extremely excited to be a part of the Bear team."



WHITETAIL FIX


"We are so excited about joining the Bear family and are more confident than ever hitting the woods this fall."

SWEET SUCCESS





Rise Up 33



YOUTH ARCHER

America's #1 brand in youth and institutional archery, Bear Archery has, for 80 years, introduced more people to the sport of archery than any other company. By designing equipment to specifically fit the needs of youth and intermediate shooters, Bear Archery makes certain that young shooters have the best chance to develop their skills in the archery traditions.

Suggested Age Range: 5 to 10*

- 47in. Overall **Bow Length**
- 16- 24in. Draw Length
- 8 -12lb. Draw Weight
- Durable Composite **Limbs and Riser**
- 7in Brace **Height Set** Includes:
- 2 Safetyglass™ Arrows
- Armguard
- Arrow Quiver
- Finger Tab
- Arrow Rest
- Sight Pin
- Right Hand Only

Black RH -AYS5400RB2 Repl. String -AYRS47







WARRIOR 3 Bow Set

Suggested Age Range: 11 & Up*

- 25.5in. Axle-to-Axle
- 21-23in. Draw Length
- 24-29 lb. Draw Weight
- Durable Composite Limbs and Riser
- 6in. Brace Height
- 70% Let Off

Set Includes:

- 2 Safetyglass™ Arrows
- Armguard
- 2-Piece Arrow Quiver
- Finger Tab Whisker Biscuit Arrow Rest®
- 1-Pin Sight
- Temporary Tattoo
- Right Hand Only

APG RH - AYS100CR



SCOUT Bow Set OR Bow Only Suggested Age Range: 4 to 7*

- 33in. Overall Bow Length
- 16-24in. Draw Length
- 8-13lb. Draw Weight
- Durable Composite Limbs For Left or Right Hand

Set Includes:

- 2 Safetyglass™ Arrows
- Armguard
- Arrow Quiver
- Finger Tab
- Sight Pin

Scout Bow Set - AYS6000 Scout Bow ONLY - AYB6001



1ST SHOT Bow Set Suggested Age Range: 4 to 7*

- 36in. Overall Bow Length
- 14-16in. Draw Length
- 8-12lb. Draw Weight
- Durable Composite Limbs
- For Left or Right Hand

Set Includes:

- 2 Safetyglass™ Arrows
- Armguard
- Arrow Quiver
- Finger Tab
- Target

1st Shot Bow Set - AYS6200 Repl. String - AYRS36



YOUTH ARCHER

WIZARD Bow Set OR Bow Only

Suggested Age Range: 5 to 10*

- 44in. Overall Bow Length
- 17- 24in. Draw Length
- 10 -18lb. Draw Weight
- Durable Composite Limbs
- For Left or Right Hand

Set Includes:

- 2 Safetyglass™ Arrows
- Armguard
- Arrow Quiver
- Finger Tab
- Sight Pin

Wizard Bow Set - AYS6300 Wizard Bow ONLY - AYB6301 Repl. Strings - AYRS44

CRUSADER Bow Set OR Bow Only Suggested Age Range: 9 & Up*

- 51in. Overall Bow Length
- 20-28in. Draw Length
- 10-20lb. Draw Weight
- Durable Composite Limbs
- For Left or Right Hand

Set Includes:

- 2 Safetyglass™ Arrows
- Armguard
- Arrow Quiver
- Finger Tab
- Target

Crusader Bow Set - AYS6400 Crusader Bow ONLY - AYB6401 Repl. Strings - AYRS51

Bow Set OR Bow

Suggested Age Range: 12 & Up

- 60in. Overall Bow Length
- 22-28in. Draw Length
- 20-29lb. Draw Weight
- Durable Composite Limbs
- For Left or Right Hand

Set Includes:

- 2 Safetyglass™ Arrows
- Armguard
- Arrow Quiver
- Finger Tab
- Target

Titan Bow ONLY - AYB6501 Titan Bow Set - AYS6500 Repl. String - A34060



BULL'S EYE Recurve Bow Suggested Age Range: 12 & Up*

- TakeDown Design
- Quality Wood Riser
- Multi-Laminate Limbs
- For Right Hand Only

48in. Bull's-Eye Bow

- 25lb. Draw Weight
- 54in. Bull's-Eye Bow
- 29lb. Draw Weight 62in. Bull's-Eye Bow
- 29lb. Draw Weight

48in. Bull's-eye Bow - A2100 54in. Bull's-eye Bow - A2101 62in. Bull's-eye Bow - A2102

FIREBIRD Bow

Suggested Age Range: 12 & Up*

- 60in. Overall Bow Length
- 22 28in. Draw Length30 35lb. Draw Weight
- Durable Composite Limbs
- For Left or Right Hand

Firebird Bow ONLY - AYB6601 Repl. String - A34060

FIRESTAR Bow

Suggested Age Range: 12 & Up*

- 31in. Overall Bow Length
- 22-24in. Draw Length
- 24lb. Peak Weight
- 7-3/4in. Brace Height
- Compression Molded Fiberglass Limbs
- Aluminum Alloy Riser
- For Right Hand Only

Firestar Bow ONLY - AYB6701



AR0014



TOY BLOWGUN AR0016



SUCTION DARTS AR0039

Rise Up : 37

TRADITIONAL INTRO

59 KODIAK REMAKE

BUBINGA TAKEDOWN, DYMOND WOOD TAKEDOWN

BUBINGA SUPER KODIAK, DYMOND WOOD SUPER KODIAK

KODIAK MAGNUM, SUPER MAG 48

CHEYENNE, GRIZZLY

SUPER GRIZZLY, KODIAK CUB

AUSABLE, MONTANA LOG BOW

PATRIOT

TRADITIONAL ACCESSORIES



BEAR GEAR

To view more designs or to purchase Bear gear go to our on-line store.

BEARARCHERYPRODUCTS.COM

AR ARCHERY

Bear ESTABLISHED

T-Shirt

AB12MM - M

AB12ML – L AB12MXL – XL AB12MXXL – XXL

Bear HURRICANE

T-Shirt

AB12BM - M

AB12BXL - L

AB12BXL - XL

AB12BXXL – XXL

Bear ANTLER

T-Shirt

AB12BHM - M

AB12BHXL - XL

AB12BHL - L AB12BHXXL - XXL



Kise Tp 49




BEAR GEAR

BUY OUR GEAR AT BEARARCHERYPRODUCTS.COM



Bear Burnt Orange Mesh Hat – AB11TO






Bear Women's Pink Hat – AB9PH







Bear 6ft. x 3ft. Banner A1000B



Bear White Window Decal 9.75in. W. x 11.5in. H. — A1000WD 5in. W. x 6in. H. — A1000TD

Rise Upp : 51